



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—YEARLY AND MONTHLY.

CALIFORNIA—*Stockton*.—Month of December, 1906. Estimated population, 20,000. Total number of deaths, not reported. Three deaths from tuberculosis reported. Cases of contagious diseases, not reported.

CONNECTICUT.—Month of December, 1906. Reports to the State board of health from 166 towns, having an aggregate population of 1,003,945, show as follows: Total number of deaths from all causes, 1,480, including diphtheria 37, enteric fever 17, measles 7, scarlet fever 5, whooping cough 16, and 132 from phthisis pulmonalis. Cases of contagious diseases were reported as follows: Diphtheria, 230 in 36 towns; enteric fever, 73 in 32 towns; measles, 206 in 25 towns; scarlet fever, 153 in 42 towns; smallpox, 1 case in *Manchester*; whooping cough, 98 in 21 towns, and phthisis pulmonalis, 32 in 15 towns.

FLORIDA.—Reports to the State board of health for the week ended January 12, 1907, show as follows: Diphtheria—Duval County (*Jacksonville*), 1 case. Enteric fever—Duval County (*Jacksonville*), 2 cases; Hillsboro County (*Plant City*), 1 case; Leon County (*Tallahassee*), 2 cases; Volusia County (*Daytona*), 1 case. Tuberculosis—Duval County (*Jacksonville*), 3 cases; Hillsboro County (*Tampa* and *Ybor City*), 2 cases; Marion County (*Ocala*), 1 case.

INDIANA.—Month of November, 1906. Estimated population, 2,648,549. Total number of deaths, 2,908, corresponding to an annual death rate of 13.3 per 1,000 of population, includes 81 from diphtheria, 135 from enteric fever, 1 from measles, 14 from scarlet fever, 6 from whooping cough, and 323 from tuberculosis.

IOWA—*Keokuk*.—Month of December, 1906. Estimated population, 16,000. Total number of deaths, 27, including 3 from tuberculosis. Cases of contagious diseases reported: Scarlet fever, 2.

MASSACHUSETTS—*Worcester*.—Month of September, 1906. Estimated population, 132,550. Total number of deaths, 191, including diphtheria 9, enteric fever 3, whooping cough 1, and 24 from tuberculosis. Cases of contagious diseases reported: Diphtheria 152, enteric fever 16, scarlet fever 5, tuberculosis 26. Month of October, 1906. Total number of deaths, 201, including diphtheria 6, enteric fever 1, whooping cough 1, and 19 from tuberculosis. Cases of contagious diseases reported: Diphtheria 200, enteric fever 16, scarlet fever 17, tuberculosis 26.

MINNESOTA—*Stillwater*.—Month of December, 1906. Estimated population, 12,435. Total number of deaths, 19. Two deaths from tuberculosis and 3 cases of scarlet fever reported.

MONTANA—*Helena*.—Month of December, 1906. Estimated population, 21,000. Total number of deaths not reported. Two deaths from diphtheria. Contagious diseases reported: Diphtheria 2, enteric fever 1, and scarlet fever 2.

NEW HAMPSHIRE—*Manchester*.—Month of December, 1906. Estimated population, 64,000. Total number of deaths reported, 122, including diphtheria 4, whooping cough 5, and 3 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 21, enteric fever 5, measles 2, and scarlet fever 2.

NEW YORK—*Auburn*.—Month of December, 1906. Estimated population, 38,500. Total number of deaths, 38, including 4 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 4, enteric fever 2, scarlet fever 2, phthisis pulmonalis 4.

OHIO—*Ironton*.—Month of December, 1906. Estimated population, 11,868. Total number of deaths, 21. No deaths from contagious diseases.

TENNESSEE—*Nashville*.—Month of December, 1906. Estimated population, 119,053. Total number of deaths, 165 (6 nonresidents), including diphtheria 1, enteric fever 6, scarlet fever 1, whooping cough 1, and 32 from tuberculosis. Cases of contagious diseases reported: Diphtheria 7, enteric fever 11, measles 1, scarlet fever 29, phthisis pulmonalis 5.

TEXAS—*San Antonio*.—Month of October, 1906. Estimated population, 85,000. Total number of deaths, 96, including diphtheria 1, enteric fever 2, and 14 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 28, enteric fever 5, scarlet fever 5. Month of November, 1906. Total number of deaths, 119, including diphtheria 1 and 36 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 34, enteric fever 6, measles 1, scarlet fever 7.

WASHINGTON—*Spokane*.—Month of December, 1906. Estimated population, 75,000. Total number of deaths, 76, including enteric fever 3, scarlet fever 1, and 6 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 5, enteric fever 6, measles 3, scarlet fever 11, smallpox 23, phthisis pulmonalis 1.

Seattle.—Month of December, 1906. Estimated population, 180,000. Total number of deaths, 145, including enteric fever 1, diphtheria 1, scarlet fever 1, and 14 from tuberculosis. Cases of contagious diseases reported: Diphtheria 49, enteric fever 2, measles 35, scarlet fever 13, smallpox 1, whooping cough 1, and tuberculosis 4.

Tacoma.—Month of December, 1906. Estimated population, 85,000. Total number of deaths, 61, including diphtheria 1, enteric fever 5, and 6 from phthisis pulmonalis. Cases of contagious diseases reported: Diphtheria 3, enteric fever 10, scarlet fever 1, and phthisis pulmonalis 3.